MACHINE DESIGN

INDEX TO VOLUME 16, JANUARY TO DECEMBER, 1944

A

Acceleration analysis:
auxiliary points aid in (Viewpoint),* Nov. p.164
simplified method, June p.113
Accumulators for hydraulic systems,* Nov. p.174
Actuator bracket, adjustable (Micro Switch),* July p.168
Actuators, positioning (Bendix Aviation),* Dec. p. 190
Adapter, remote control (F. W. Stewart),* April p.200
Adhesives:
designing for,* Sept. p.154
plastic, use in design, May p.79
their place in design (Viewpoint),* July p.155
Aerodynamic unbalance corrected (Patents),* April p.188
Aircraft:
aerodynamic unbalance corrected (Patents),* April p.188
airplane, private, forecasting of, March p.124
cable control, design pointers for, April p.141
Conestoga, air cargo plane, stainless steel, July p.113
electric auxiliary drives for, April p.159
electric power for future air liners,* Oct. p.108
electronic sensitive control in, Nov. p.117
engine, jet propulsion, analyzation of, July p.97
engines in tanks,* May p.82
gun turret control, amplidyne,* Jan. p.152
improving performance of,* Aug. p.144
jet-propelled, full thrust from gas turbines,* Dec. p.164
landing gear, retractable, design of,* Nov. p.109
manifold design improved, March p.127
plastic laminates pressed to shape,* Nov. p.161
production speeded by electronics, April p.154
sheet-metal parts, designing of, May p.103
stress warning device for pilots,* Sept. p.98
Alloys:
high-temperature, in jet-propulsion motor,* Feb. p. 180
low, high strength, developed,* Feb. p.180
permanent magnet, in instruments (Abstracts),* April p.184
sulphite-treated, have outstanding machineability,* Nov. p.156
Aluminum:
alloy forgings, designing of, Dec. p.111
alloys, worksheet on, July p.149
cooling fins on aircraft cylinders,* Aug. p.91
electrode for welding of (Eutectic Welding),* June p.174
free-flowing solder for (Eutectic Welding),* Oct. p.122
Amplidyne control in aircraft gun turret,* Jan. p.152
Anodizing, zinc, for metal (United Chromium),* Jan. p.170
Antiaircraft gun, controlled by variable-speed,* Feb. p.141
Appearance, designing for, postwar,* Nov. p.156
Assemblies, cemented, their place in design, May p.79
Authors:
Almen, J. O.—"Tightening Is Factor in Bolt Endurance," Feb. p.158
Ball, Leslie W.—"Radiographs—What They Tell Designers," Dec. p.135
Barnes, F. A. and C. Johnson—"Obtaining Sensitivity with Air-Hydraulic System," April p.155
Barrett, K. T.—"Unorthodox Plastics Designs Save Parts and Assembly Time," Oct. p.85
Bartholomew, H. C. and W. C. Wilkinson—"New Trimetric Drawing Technique," Aug. p.139
Beachler, E.D.—"Redesigning To Improve Speed and Accuracy," Aug. p.133
Beskin, Leon—
"Predicting Ultimate Failure Loads," Dec. p.117
"Simplified Method Shortens Acceleration Analysis," June p.113
Boegehold, A. L.—"Selecting Steel on the Basis of Hardenability," Part I—"Interpreting Data from Curves," Nov. p. 129; Part II—"Hardness-Cooling-Rate Patterns," Dec. p.125
Botstiber, Dietrich W.—"Theory and Design of Enveloping Worm Drives," June p.135
Bowers, Raymon and R. E. Peterson—"Designing Single-Plunger Injection Pump," Feb. p.174
Broadston, James A.—"Selecting Surface Quality," Dec. p.165
Brown, C. L.—"Calculating Beam Deflections," Jan. p.124
Buckingham, Earle—"Latest Findings on Surface Fatigue," Feb. p.166
Button, C. T.—"Which Small Motor to Use?" April p.125
Carmichael, Colin—
"Analyzing the Jet Propulsion Engine," June p.97
"Displacement Diagrams for Cam Design," July p.145
"How to Utilize Brazing in Design," Part II—"Processes," Jan. p.120
"Redesigning To Utilize Stamping Process," Part I, Feb. p.143; Part II, March p.120
"Specifying Variable-Speed Drives," Part I—"Mechanical," April p.119; Part II—"Electrical," May p.85; and Part III—"Hydraulic," June p.107
"Vibration and Noise—Causes and Cures," Part I—"Measurement," Aug. p.85; Part II—"Isolation Mounting," Sept. p.99; Part III—"Isolation Materials," Oct. p.93; Part IV—"Unbalance," Nov. p.139; and Part V—"Torsional Vibration," Dec. p.141
Carson, G. B. and L. C. Cole—"How Loads and Enclosures Affect Motor Performance," June p.103
Cass, Robert—"What's Ahead for Automotive Engines and Transmissions?" April p.99
Cockrell, W. D.—"Designing Electronic Control Devices," Jan. p.140
Cole, L. C. and G. B. Carson—"How Loads and Enclosures Affect Motor Performance," June p.103
Davidson, I. T.—"Engineering a System for 'Engineering'," Feb. p.135
Davis, L. W.—"Designing Aluminum Alloy Forgings," Dec. p.111
Delmonte, John—
"Cemented Assemblies—Their Place in Design," May p.79
"How Much 'Real Muscle' Do Plastics Offer the Designer?" Dec. p.99
"How Plastic Tooling Speeds Production," March p.99
"Strength of New Plastics Compares with that of Metal," Aug. p.119
Drake, G. Forrest—"Factors in Applying Governors," April p.111
Eddy Jr., W. P.—"Effects of Wartime Developments on Future Steels," July p.127
Eisenbeis, George G.—"Flexible Shafting Solves Remote Operation Problem," April p.151
Elberty, R. S.—
"Control Criterion for Hydraulics," April p. 134
"Fluid and Electrical Analogies Work Both Ways," July p.137
"Standard Symbols Facilitate Circuit Design," May p.97
Firnhaber, F. A.—"Utilizing Hydraulics in Grinder," Dec. p.153
Fischer, F. K. and C. A. Meyer—"What's the Future of the Gas Turbine?" May p.99
Fromm, William H.—"'Package' Motor-Control Units Facilitate Design," Part I—"Motion Control," Aug. p. 123; Part II—"Motion Modification, Protection and Indication," Sept. p.109
Frost, D. K.—"Tailor-Made Controls Utilize Standard Component Parts," July p.103
Gille, W. H. and R. J. Kutzler—"Electronics Sets Standard for Automatic Control," Nov. p.117
Gillett, H. W.—"Choosing the Right Material," Part II—"Interpreting Tests," Jan. p.127; Part III—"Effects of Corrosion, Wear and Temperatures," Feb. p.152; Part IV—"Bearings and Special Tests," March p.115; Part V—"Reliability and Probability," April p. 172; Part VI—"Ability To Be Processed," May p.111; and Part VII—"Selection," June p.123.
Godsey, F. W. and B. F. Langer—"Torquemeters Furnish Check on Machine Performance," Sept. p.135
Goff, W. B.—"Twin Cams Provide Versatility," May p.101
Greer, Fred W.—"Single Drive Coordinates Units," April p.110
Greve, John W.—
"Centralized Lubrication Insures Bearing Life," Part I—"Piston Valves," Sept. p.113; and Part II—"Mechanical and Restricted Orifice Lubricators," Oct. p.81
"Decalcomanias Solve Nameplate Problem," Feb. p.163
"Machine Lighting Increases Operator Efficiency," Dec. p.107
"Photographs Aid Presentation of Design Details," Aug. p.97
"Selecting Plastic Nameplates," March p.112
Grondahl, H. G.—"Electronic Control Speeds Production," April p.154
Hall, W. D.—"Forecasting the Future Private Plane," March p.124
Hanna, C. R. and L. B. Lynn—"More Bull's-Eyes with New Gun Stabilizer!" Oct. p.91
Harrison, J. B.—"Controls Speed with Helical Cam," April p.107
Haver, Ralph L.—"Improving Aircraft Manifold Design," March p.127
Hemingway, E. L.—"Surface Finish—Key to Bearing Life," Nov. p.123
Henry, F. B. and G. N. Wileman—"Factors Influencing Design of Foundry Conveyors," June p.141
Hetenyi, M. and W. E. Young—"How Brittle Lacquer Strain Analysis Aids Design," Feb. p.147
Immel, Ralph B.—"When Motor Speed-Change Steps Must Be Equal," May p.115
Jeffrey, M. L.—"Solenoids—For Power, For Control," April p.147
Jenkins, E. S.—"A New Slant on Sheet-Metal Fastenings," March p.131
Johnson, C. and F. A. Barnes—"Obtaining Sensitivity with Air-Hydraulic System," April p.155
Johnson, H. T.—"What the Machine User Wants!" Dec. p.147

*Denotes short articles of less than one page.

Kelton, E. H.—"What Brass Powder Parts Offer the Designer," Aug. p.129
Knight, W.—"Tables Facilitate Design of Rotating Disks," Sept. p.145
Korn, Arthur H.—"Designing Bearings for Fluid Film Lubrication," Jan. p.134
Kowal, W. J. and D. J. Paolucci—"Training Draftswomen for Emergency Work," June p.95
Kurzweil, Robert—"Sequence Control Facilitates Production," May p.91
Kutzler, R. J. and W. H. Gille—"Electronics Sets Standard for Automatic Control," Nov. p.117
Kux, James J.—"Novel Eccentric Linkage Permits Extended Dwell," Nov. p.135
Landau, D.—"Factors Influencing Wear in Machines," Sept. p.105
Langer, B. F. and F. W. Godsey—"Torquemeters Furnish Check on Machine Performance," Sept. p.135
Langley, S. G.—"Electronics Widens Scope of Business Machine," Sept. p.91
Linderoth Jr., L. S.—"Selecting Hydraulic Seals," Sept. p.119
Lotz, Richard K.—
"Applying Valves in Modern Machine Hydraulics," June p.117
"Embodying Self-Contained Units in Design," Jan. p.116
"Specifying Intermediate Components for Machine Drives," Part I—"Clutches," Aug. p.101; Part II—"Brakes," Sept. p.129; and Part III—"Couplings," Oct. p.97
Lynn, L. B. and C. R. Hanna—"More Bull's-Eyes with New Gun Stabilizer!" Oct. p.91
Lvsholm, A.—"Developing Hydraulic Torque Converter," July p.117
Mallett, Frank M.—
"Designing Sheet-Metal Parts for Production," May p.103
"Standard Dimensions for Straight Shaft Serrations," Nov. p.157
Marin, Joseph—"Applying Creep Data in Design," Part I—"Methods of Interpretation," July p.123 and Part II—"Simple Stress Members," Aug. p.113
McClain, C. H.—"Calculating Weights of Fillet Sections," June p.153
McQuaid, Harry W.—
"Needed—Teamwork Between Designer and Metallurgist," Oct. p.75
"What New Heat Treatments of Steel Presage in Design," Aug p.107
Meier, J. H.—"Graphical Method Simplifies Strain-Rosette Analysis," May p.95
Meyer, C. A.—"What's the Future of the Gas Turbine?" May p.99
Minarik, R. G.—
"Calculating Hollow Rolls for Minimum Deflections," March p.141
"Direct Method Facilitates Helical Spring Design," Aug. p.145
Mitchell, W. G.—"Pneumatic Rivet Setter Stresses Compactness, Light Weight," July p.133
Mock, Richard M.—"Electric Auxiliary Drives for Aircraft," April p.159
Moore, H. F.—"Effect of Shot Peening on Fatigue Strength," Nov. p.145
Morgan, Mark—"Synchronous Timer Assures Uniform Cycles," April p.103
Moxley, S. D.—"Utilizing the Centrifugal Casting Method," June p.131
Nachod, Carl P.—
"Nomogram Aids Thick Cylinder Calculations," May p.122
"Single Line Nomogram Aids Spring Design," Jan. p.149
Oberem, Wm. C.—"Combined Methods Give Best Results," April p.135
Paolucci, D. J. and W. J. Kowal—"Training Draftswomen for Emergency Work," June p.95
Parks, H. E.—"Shadowgraphs Simplify Pictorial Drafting," June p.129
Peterson, R. E. and Raymon Bowers,—"Designing Single-Plunger Injection Pump," Feb. p.174
Powell, M. W.—"Formula Aids Calculation of Curve Length," Feb. p.181
Richolt, R. R.—"Design Pointers in Cable Control Systems," April p.141
Scott, R. M.—"Quick-Acting Brake Requires Minimum Power," April p.108
Senger, W. I.—"Specifying Dynamic Balance," Part I—"Types of Unbalance," Nov. p.101; and Part II—"Sources of Unbalance," Dec. p.131
Shong, A. M.—"Provides Accurate Control for Reflowing," April p.105
Sizer, Harold—"Are Your Controls Properly Designed, Effectively Placed?" Nov. p.111
Stanton, William H.—"Hydraulic Valve Selection," April p.115
Stechbart, B. E.—"Built-in Slip Clutch Aids Motor Drive," April p.106
Tuerck, Jr. W.—"Developing Induction Heating Machine," Jan. p.137
Turnbull, David C.—"Sixteen Shafts from One Motor," April p.109
Vaughan, V. G.—"Built-in Automatic Temperature Controls," April p.129
Victory, Frederick C.—"Curtailing Thermal Expansion in Design," May p.109
Vincent, J. G.—"Switching to Aircraft Engine Production," May p.108
Wahl, A. M.—
"Frequently Overlooked Factors in Design of Springs," March p.107
"How End-Coil Design Affects Tension Springs," July p.107
Wileman, G. N. and F. B. Henry—"Factors Influencing Design of Foundry Conveyors," June p.141
Wilkinson, W. C. and H. C. Bartholomew—"New Trimetric Drawing Technique," Aug. p.139
Woodling, George V.—
"What's a Good Yardstick for Patentability?" Feb. p. 171
"Why the Patent Courts Should Be Synchronized," Aug. p.93
Young, W. E. and M. Hetenyi—"How Brittle Lacquer Strain Analysis Aids Design," Feb. p.147
Automobiles, gas turbines for,* Nov. p.156
Automobile, postwar, abstract of paper on,* Aug. p.118
Autotransformers for aircraft (General Electric),* Aug. p.160
Auxiliary points, aid of, in acceleration analysis,* Nov. p.164

B

Bakery machine, limit switch control of,* July p.160
Balancing, specifying dynamic, Nov. p.101; Dec. p.131
Bases, motor, spun acetate grommets for,* Oct. p.112
Battery, storage, for resistance welding of aluminum,* Feb. p.180
Beam deflections, calculating of, Jan. p. 124
Beams continuous, calculating supports for (Viewpoints),* Jan. p.158
Bearings:
ball, filtered lubrication for,* Oct. p.80
ball, flange-type, in computor mechanisms,* March p.140
ball, pivot type (Miniature Precision),* Aug. p.162
effect of surface on performance of, Nov. p.123
flow of lubricant through, investigated,* Oct. p.79
fluid-film lubrication, comments on,* March p.150
jewels, glass ring (General Electric),* May p.138
life of, insured by centralized lubrication, Sept. p.113
needle, antifriction (Torrington),* Dec. p.184
needle, permit compact drill design,* May p.136
selecting materials from text data, March p.115
shims for adjusting (Industrial Products),* Oct. p.124
sleeve, designing of, for fluid film lubrication, Jan. p.134
"standard" tests to appraise metals for, March p.115
Bellows, opposed metallic, in air speed switch,* Jan. p.113
Belting and hose of synthetic rubber (abstracts),* June p.166
Belting, two-ply leather, bonded with plastic foil,* July p.102
Beryllium copper, materials work sheet on, May p.125
Beryllium copper, spring-grade (Little Falls Alloys),* April p.192
Blasting of broken drills or taps in shafts, method of,* Jan. p.115
Blower, all purpose, with flexible mounting (Ilg),* Feb. p.198
Bolts, designing of, for strength, Feb. p.158
Bowes drive, electric speed reducer,* Sept. p.95
Bracket, adjustable actuator (Micro Switch),* July p.169
Brakes:
air, in navy blimp,* Oct. p.90
and clutch device in automotive transmission design,* Sept. p.156
fluid friction controlling (Parkersburg Rig),* Feb. p.204
quick-acting, in wire strander, April p.108
selection and specification of, Sept. p.129
taking up slack from (Patent),* July p.154
Brass powder parts, design of, Aug. p.129
Brasses—properties, characteristics and applications, Aug. p.149
Brazing processes, utilized in design, Jan. p.120
Bronzes, phosphor, materials work sheet on, Feb. p.183
Brushes, high-altitude, high-humidity (National Carbon),* March p.162
Bus, helicopter design, proposed,* June p.116
Bushings, self-aligning, in linkage system,* Aug. p.92

C

Cable control, design pointers for, April p.141
Calculating machine tests turbine nozzles,* March p.104
Calculations, curve length, formula aids, Feb. p.181
Calculus, use of, in design, comments on,* Sept. p.154
Calibration of sextant facilitated by collimator,* Feb. p.141
Cameras:
aircraft, makes log,* Sept. p.144
design of, saves parts and assembly time,* Oct. p.85
shutter actuated by Geneva mechanism (Patent),* Jan. p.186
ultraspeed, utilizes constant feed, April p.146
Cams:
design of, displacement diagrams for (Data Sheet), July p.145
in picker bars on cotton picker,* Sept. p.96
operates shape-turning mechanism,* June p.100
twin, control steam engine, May p.101
Camshafts, sixteen from one motor on cleaning machine, April p.109
Capacitor, electronic timer (Electronic Products),* Dec. p.192
Capacitor, noise suppression (General Electric),* Nov. p.172
Carbide parts, cemented, sintered by "hot-press" method,* May p.76
Carbon steels, wider use of,* Dec. p.164
Cartridge container leaks detected by vacuum-testing,* Dec. p.105
Cast iron heat-treated for wear resistance, Jan. p.126
Casters, swivel, heavy-duty (Rose Mfg.),* Feb. p.216
Castings:
aluminum, flaws spotted by ultraviolet test,* Feb. p.132
cast crankshafts replaces forged shaft,* Jan. p.152
centrifugal, methods in design,* Feb. p.180
centrifugal, utilization of, June p.131
designs of, improved by relationship,* March p.140
Centrifugal casting methods in design,* Feb. p.180
Centrifugal casting method, utilization of, June p.131

*Denotes short articles of less than one page.

Centrifugal pump, low horsepower (Gray-Mills),* Oct. p.124
Chain, high-speed, idler for, July p.101
Chain links, bronze die-cast (Bronze Die Casting),* June p.176
Chain used in marine reduction gear,* Oct. p.112
Channel, gang, fastenings (Kaynar),* May p.146
Checker, size (Sheffield) illustrated, March p.139
Check-writing machine (Todd) illustrated, March p.139
Chocolate coating unit has single drive, April p.110
Chrome plating for wear resistance,* March p.144
Chuck, compensating finger (Anker-Holth),* March p.168
Circuit breakers:
  100-ampere (Westinghouse),* Nov. p.172
  A-C, D-C (Heinemann Circuit Breaker),* Dec. p.194
  air (General Electric),* Oct. p.122
  design of, symbols for hydraulic, May p.97
  push-pull, for aircraft (Spencer Thermostat),* Aug. p.160
  push-type, aircraft (Square D),* May p.138
  remote-control (Spencer Thermostat),* Feb. p.206
  switch, temperature-resistant (Littelfuse),* Nov. p.174
Clad metals, use of, expanding,* June p.124
Clamps:
  continuous strap (Actus Products),* July p.172
  hose, one-piece (Tinnerman),* July p.170
  hose, small-size (Aircraft Standard Parts),* May p.142
  (Marman) for removable equipment,* March p.166
  wire rope (National Production),* March p.168
Clarifiers, fuel oil, for diesels (Briggs),* July p.170
Clarifiers, recirculating oil (Briggs Clarifier),* Oct. p.120
Cleaning machine, sixteen shafts from one motor on, April p.109
Clock, precision, controlled by quartz mechanism,* June p.100
Clutches:
  built-in slip, aids motor drive, April p.106
  disk utilizes molded rubber driving element,* March p.105
  electric, specifying, Aug. p.101
  friction, rolling-grip (Dodge),* March p.166
  multiple-disk and jaw-drive (Rockford Drilling),* Nov. p.172
  rotate Navy shells through one revolution,* May p.136
Coating unit, chocolate, has single drive, April p.110
Coatings:
  for zinc, cadmium (Rheem Research),* Dec. p.194
  resin, drying oil (Resinous Products),* Dec. p.186
  Stripcoat, for metal parts (Dow Chemical),* Feb. p.140; Nov. p.176
  thick lead, offer protection,* June p.125
  zinc, life increased by titanium predipping,* Feb. p.132
Coil, infrared heating (J. E. Doyle),* June p.176
Collar studs, cold heading of, saves time,* July p.160
Collimator facilitates calibration of sextant,* Feb. p.141
Comparator, magnifying (Metron Instrument), Oct. p.104
Compressor unit (Manning, Maxwell & Moore),* Sept. p.166
Concrete-filled machine base conserves cast iron,* March p.104
Condenser, electronic, air (Barker & Williamson),* Jan. p.174
Conestoga, air cargo plane, stainless steel, July p.113
Connections, solderless (Aircraft-Marine),* June p.170
Connector panel assemblies (Plastic Manufacturers),* April p.198
Contactors, twisted-bar, in multiple potentiometer,* June p.101
Controls:
  design of, Nov. p.111
  electrical, in tin-plating process, April p.105
  motor, facilitate design, Aug. p.123
  motor, motion modification, protection and indication, Sept. p.109
  motor-driven (Reynolds Electric),* June p.170
  remote system (Adel Precision),* July p.168
  tailor-made, utilize standard component parts, July p.103
  temperature, automatic, built-in, April p.129
  with a shear pin, in interlocking machine, Dec. p.106
Controllers:
  air-operated (Bristol),* Nov. p.178
  electronic, free-vane (Bristol Co.),* Dec. p.194
  industrial (Wheelco Instruments Co.),* Oct. p.126
Convenience in ease of maintenance for operator, designing for, Dec. p.147
Conveyor chain links, bronze die-casting,* June p.176
Conveyors, foundry, factors influencing design of, June p.141
Coolant, deep immersion type (Ruthman Machinery),* Dec. p.182
Cooler, coolant, illustrated and described,* Jan. p.146
Cooling fins, aluminum, on aircraft cylinders,* Aug. p.91
Cooling systems, rubber-covered gears for pumps in,* Dec. p.164
Copper and cork bonds for shaft seal,* May p.136
Copper, beryllium, materials work sheet on, May p.125
Copper, beryllium, spring-grade (Little Falls Alloys),* April p.192
Cores, side-molded iron (Stackpole Carbon),* Nov. p.174
Cork and copper bonds for shaft seal,* May p.136
Cottonleather, plasticized fabric (Southern Friction),* Nov. p.176
Cotton picker, cam-actuated picker bars on,* Sept. p.96
Counter, predetermining control (Adde & Co.),* July p.172
Couplings:
  flexible, detachable (Packless Metal),* Oct. p.124
  flexible for gravel dryer drive,* June p.155
  flexible (Lovejoy),* Aug. p.158
  isolates vibrations (Patent),* June p.164
  self-flaring for flexible plastic tubing (Packless Metal),* Dec. p.190
  self-sealing (Aeroquip),* Nov. p.180
  self-sealing, disconnecting (American Screw),* Feb. p.216
  specification of, Oct. p.97
  splined-shaft, for various loads (Bushings Inc.),* Aug. p.162
Courts, patent, synchronization of, Aug. p.93
Cowling fastener (Simmons Machine Tool),* Aug. p.166
Cowling, one-piece, saves man hours,* Nov. p.108
Crankcase, zinc die-cast, for paratroopers' motorcycles,* Nov. p.161
Crankpin lathe, redesigning for speed and accuracy, Aug. p.133
Crankshaft, blasting of broken drills or taps, method of,* Jan. p.115
Crankshaft, cast, replaces forged shaft,* Jan. p.152
Creep data, applying in design, July p.123
Creep data, simple stress members, Aug. p.113
Curve length, calculation of, formula aids in, June p.162
Curve length, formula aids calculation of, Feb. p.181

D

Data Sheets:
  cam design, displacement diagrams for, July p.145
  curve length, formula aids calculation of, Feb. p.181
  deflection of hollow rolls, March p.141
  fillet section weights, calculating of, June p.153
  hardness conversion tables, Oct. p.109
  nomogram aids thick cylinder calculations, May p.123
  rotating disks, tables facilitate design of, Sept. p.145
  shaft serrations, standard dimensions for, Nov. p. 157
  spring design, single line nomogram aids in, Jan. p.149
  springs, helical, design of, Aug. p.145
  surface quality, selection of, Dec. p.165
  V-belt drives for maximum economy, selecting of, April p.175
Decalcomanias solve nameplate problem, Feb. p.163
Deep drawing saves material in propellers,* May p.122
Deflection of hollow rolls, data sheet on, March p.141
De-icing airplane propellers (Abstracts), Sept. p.178
Designer and metallurgist, teamwork between, Oct. p.75
Designing for appearance for postwar,* Nov. p.156
Developing machine, whiteprint (C. F. Pease),* Jan. p.176
Dials (Maymer) announced,* March p.166
Dictating machine, scope of, widened by electronics, Sept. p.91
Die castings:
  alloys, zinc-base, work sheet on, Sept. p.149
  in postwar, comments on,* Nov. p.164
  zinc, in crankcase for parachute motorcycle,* Nov. p.161
Die casting machines:
  high pressure hydraulic systems in,* March p.105
  hydraulic (Reed Prentice) illustrated, Sept. p.143
Dielectric material, synthetic (General Electric),* Jan. p.174
Diesel engines:
  development trends in,* Sept. p.144
  employ integral heat exchanger,* Aug. p.156
  for naval drives, April p.140
  more power from,* June p.166
  6000 horsepower (Nordberg) described,* Dec. p.150
  solid injection (Climax Engineering),* Sept. p.164
Distributor improves performance in steam-tube dryers,* May p.83
Dozershovel (Bucyrus-Erie) illustrated,* March p.138
Draftswomen, training of, for emergency work, June p.95
Drafting, pictorial, simplified by shadowgraphs, June p.129
Dresser, pivoted action on, for forming faces or angles,* June p.102
Drill, compact design of permitted by needle bearings,* May p.136
Drilling machine, special, for pan-shaped part,* Jan. p.114
Drilling units, hydraulic (Barnes Drill),* July p.172
Drills, pneumatic, plastic housing for, March p.144
Driving mechanisms in glass-forming machine turrets,* Feb. p.232
Drum, winch, two-speed has four riser sections,* Feb. p.142
Dryers, steam-tube, performance improved by distributor,* May p.83
Duplicating machines (A. B. Dick) illustrated, July p.141
Duraplex, drying oil resin (Resinous Products),* Dec. p.186
Dwell in high pressure machine extended by strap, Nov. p.135
Dynamic balance:
  sources of unbalance, Dec. p.131
  specifying types of, Nov. p.101

E

Electric auxiliary drives for aircraft, April p.159
Electric, hydraulic analogies, July p.137
Electrical equipment, silver in (Gibson Electric),* Aug. p.164
Electrical systems for aircraft (Abstracts),* April p. 184
Electrodes (*See Welding*):
Electron microscope (RCA) illustrated, Nov. p.153
Electronics:
  business machine, scope of, widened by,* Sept. p.91
  controls, application of (abstracts),* March p.158
  control speeds aircraft production, April p.154
  designing control devices for, Jan. p.140
  drives for D-C motors (Weltronic),* June p.176
  level control (Trimount Instrument),* May p.144
  measures and controls moisture in textiles,* May p.83

*Denotes short articles of less than one page.

motor controls (Electron Equipment),* May p.146
sorting device for assemblies,* Aug. p.92
testing machine (DuMont) illustrated, July p.143
tracer mechanism controls contour machining,* June p.100
trend developing despite restrictions,* May p.122
utilization of, for sensitive control, Nov. p.117
Electroplating on plastics,* March p.144
Elevators, hydraulic, lowering control valve for, April p.107
Enclosures and loads affect motor performance, June p.103
Engineering department:
designer and metallurgist, teamwork between, Oct. p.75
drafting, pictorial, simplified by shadowgraphs, June p.129
draftswomen, training of, for emergency work, June p.95
drawing guides, three-dimensional (A. Lietz),* Sept. p.168
instruments, graph and circle (Chas. W. Downs),* Nov. p.182
lighting, fluorescent (F. W. Wakefield),* Sept. p.168
lights for drafting room (Curtis Lighting),* Sept. p.166
microfilm reader-projector (Federal Mfg.),* Nov. p.182
microfilming machine (Microcopy),* Sept. p.168
numbering system revamped (Viewpoint),* Feb. p.190
photocopying machine (Photo Record),* June p.178
photographs of drawings, aid of, Aug. p.97
printer, blue, black, white (Peck & Harvey),* Sept. p.166
printers, continuous (Peck & Harvey),* Jan. p.176
printer-developer, continuous (Chas. Bruning),* Nov. p.180
printer (Chas. Bruning) illustrated,* March p.138
rule, slide (Pickett & Eckel),* Nov. p.180
rule, slide (Lawrence Engineering),* Nov. p.182
rules, slide, three new (Frederick Post), Jan. p.174
shadowgraphs simplify pictorial drawing, June p.129
system for "engineering", Feb. p.135
trimetric drawing technique, Aug. p.139
whiteprint developing machine (C. F. Pease),* Jan. p.176
Engines, aircraft, improving performance of, Aug. p.144
Engines, aircraft, switching to production of, May p.108
Engines, automotive, and transmissions, future of, April p.99
Engines, diesel (*See Diesel Engines*):
Engines, governor control in (Patent),* Feb. p.228
Engines, internal combustion, operation at critical speed,* May p.134
Engines, jet propulsion (*See Jet Propulsion*):
Engines, oil flow controlled in (Patent),* April p.188
Engines, spark-ignition compared (Abstract),* Nov. p.190
Engines, speeds of multiple, synchronized (Patent),* June p.164
Engines, steam, control of by twin cams, May p.101
Engines, torque pulsations of, simulated for testing,* Aug. p.91
Engineering society, combined, proposed,* Oct. p.108
Engineering, Yankee ingenuity in (Abstract),* March p.158
Enveloping worm drives, theory and design of, June p.135
Exchanger, heat, in diesel engines,* Aug. p.156

F

Fabric, plasticized (Southern Friction),* Nov. p.176
Failure loads, predicted by stress analysis, Dec. p.117
Fan, blade, controllable pitch, thermal control for,* Feb. p.142
Fastenings (*See also Nuts, Bolts, Rivets, etc.*):
airplane skin (Prestole Div., Detroit Harvester),* Feb. p.216
bolt endurance, tightening vital factor in, Feb. p.158
gang channel (Kaynar),* May p.146
nut and bolt retainer (Kaynar),* Feb. p.214
self-adjusting, aircraft (Nigg Engrg.),* Feb. p.208
sheet-metal, a new slant on,* March p.131
skin, for aircraft,* Jan. p.114
spring-lock, airplane (Elastic Stop),* Feb. p.202
Fatigue strength, effect of shot peening on, Nov. p.145
Fatigue, surface, abstract of findings on, Feb. p.166
Fillet section weights, calculating of (data sheet), June p.153
Film, plastic, surface replicas of, for inspection,* Oct. p.79
Filters:
air, for diesel engine (Farr Co.),* Dec. p.188
for coolants and oils (Briggs Clarifier),* Dec. p.184
hydraulic, for aircraft (Adel Precision),* Feb. p.200
Finishes, machine, producers and their facilities, Oct. p.242
Fins, aluminum cooling, on aircraft cylinders,* Aug. p.91
Fittings:
flexible metal hose, (Seamlex),* June p.178
hydraulic, high-pressure (Anker-Holth),* March p.164
tube, seal and grip (Cotner-Wilkinson),* April p.190
Flame control, photoelectric (Combustion Control),* Jan. p.170
Flame-spraying of polythene for protecting surfaces,* Dec. p.164
Flexible coupling, detachable (Packless Metal),* Oct. p.124
Floats, Monel metal, (Chicago Float),* Feb. p.210
Fluid lost in hydraulic lines protected by "hydraulic fuses",* March p.106
Flywheels smooth out machine operations,* Nov. p.109
Foam material, buoyant plastic (U. S. Rubber),* Nov. p.174
Forgings, aluminum alloy, designing of, Dec. p.111
Forgings, types and producers of, Oct. p.230
Fosterite, moisture-proof plastic (Westinghouse),* July p.94
Fuels, antiknock, improving of (Abstract),* March p.158
Furnace, combination heat-treating (Waltz), June p.148
Furnace, combustion tube (Lindberg) illustrated, Feb. p.178

G

Gaskets, rubber, tolerance limits for,* Dec. p.164
Gasket material, noncorrosive (Armstrong Cork),* Feb. p.206
Gas turbines for automobiles,* Nov. p.156
Gear finisher, crossed-axis (Michigan Tool) illustrated, Nov. p.154
Gear, landing, retractable, design of, saves weight,* Nov. p.109
Gear-tooth shaving machine (National Broach), Dec. p.161
Gears:
enveloping worm drives, theory and design, June p.135
marine reduction, uses chain,* Oct. p.112
ratios have 121 variations,* Sept. p.95
reducer, fan cooled (Cleveland Worm),* Aug. p.160
rubber-covered for pumps for cooling,* Dec. p.164
transmission built into drill press,* Jan. p.152
unit prevents motor overrun (Electric Motor),* May p.140
Generator, aviation (Bendix),* Jan. p.164
Generator, high-frequency ("S" Corrugated Quenched),* May p.120
Generator, intermittent and continuous (Carter Motor),* Dec. p.186
Generator, power, electronic (RCA),* Oct. p.106
Geneva mechanism actuates camera shutter,* Jan. p.186
Geon polyvinyl resins (Goodrich),* March p.164
Germany, plan for postwar,* Nov. p.170
Glass fabric plastic, Corresite (Blickman),* March p.166
Glass-forming machine turrets, intermittent rotation in,* Feb. p.232
Glass:
heat-treated (Pittsburgh Plate),* April p.198
jewels, ring, for aircraft bearings (General Electric),* May p.138
plastic reinforced wood, in aircraft, June p.99
seals on glass-to-metal (Sprague Electric),* Dec. p.194
V-jewel, ready-to-set (General Electric),* Feb. p.218
Governor, spring-loaded, control wide range of speeds,* Feb. p.228
Governors, speed, basic factors in application, April p.111
Graphical method simplifies strain-rosette analysis, May p.95
Gravel dryer drive utilizes flexible coupling,* June p.155
Grinders:
crankpin, hydraulic, illustrated, Jan. p.146
cylindrical, utilizes hydraulics, Dec. p.153
formed-wheel gear (Gear Grinding), Dec. p.162
gear, illustrated, Jan. p.145
hydraulic (Landis) illustrated, March p.139; April p.168
makes close-tolerance rubber gaskets,* Dec. p.164
precision thread, (Societe Genevoise), March p.139
reversible spindle motor in,* April p.178
surface (Hanchett) illustrated, Feb. p.178
Grommets:
for all thicknesses (Camloc Fastener),* Dec. p.194
plastic insulating (Creative Plastics),* Feb. p.212
spun acetate, for motor base,* Oct. p.112
Gun recoil mechanisms, machine for testing of,* Dec. p.105
Gun stabilizer for more "bull's-eyes," Oct. p.91
Gun turret control, amplidyne, provides accuracy,* Jan. p.152

H

Hack saw, hydraulic (Peerless), Aug. p.142
Hardenability:
by coils, of small parts,* June p.152
close tolerances by (Viewpoint),* July p.156
conversion tables (Data Sheet), Oct. p.109
discussion of,* Aug. p.144
specifying steel by, Nov. p.129
steel selection based on, Dec. p.125
Heat exchanger in diesel engine,* Aug. p.156
Heat of chips measures tool force (Abstract),* Sept. p.178
Heat treating:
cast iron, for wear resistance, Jan. p.126
furnace, combination (Waltz Furnace), June p.148
induction heating coil, for ordnance, special,* Jan. p.115
induction heating machine developed, Jan. p.137
of steel, influence on design, Aug. p.107
Heater, radiant, and resistor (Techtmann),* April p.200
Heating machine, induction (Tocco) illustrated, Feb. p.179
Heating units, electric contact (H. & A. Mfg.),* June p.174
Helical compression springs, factors in design overlooked, March p.107
Helicopter:
bus design proposed,* June p.116
oil circuit provides transmission control in (Patent),* May p.132
stabilization of,* July p.116
Hellcat, tank buster, illustrated and described, Nov. p.[illegible]6
Horsepower, measuring shaft (Patent),* Nov. p.168
Hose:
clamp, one-piece (Tinnerman),* July p.170
clamps, aircraft, small-size (Aircraft Standard Parts),* May p.142
galvanized steel interlocked (Pennsylvania Flexible),* Dec. p.186
of synthetic rubber (Abstract),* June p.166

*Denotes short articles of less than one page.

Housing, plastic, for pneumatic drills,* March p.144
Hub of wheel, speed reduction provided in (Patent),* July p.154
Hydraulics (*See also Valves, Pumps, etc.*):
combine with pneumatics provide sensitivity in lathes, April p.155
compound eccentric strap extends dwell in, Nov. p.135
control criterion for, April p.134
differential pressures in lubrication system,* July p.102
elevators, lowering control valve for, April p.107
fuses for metering fluid,* March p.106
high pressure systems in die casting machine,* March p.105
hydraulic electric analogies, July p.137
milling machine, special purpose, controls in, April p.135
protection of fluid by quantity-metering device,* March p.106
saw, cold, illustrated,* Jan. p.146
seals, selecting of, Sept. p.119
sequence control facilitates production, May p.91
symbols of hydraulic circuit diagrams, May p.97
system steers tractor (Patent), March p.152
system substitutes for propeller,* June p.155
torque converter, development of, July p.117
two motors or actuators, synchronization of (Patent),* Sept. p.156
utilizing in cylindrical grinder, Dec. p.153
valves, fundamentals in selection of, April p.115
variable-speed, specifying, June p.107
Hydroelectric power package (Pesco),* June p.168
Hyprez surface finish (Engis Equipment),* Feb. p.218

I, J

Idler for high-speed chain, July p.101
Inconel, wrought and cast (Data Sheet), Oct. p.113
Induction heating:
coil, special, for ordnance part,* Jan. p. 115
machine developed, Jan. p.137
machine (Tocco), illustrated,* Feb. p.179
Infrared heating coil (J. E. Doyle),* June p.176
Injection molding machine, control of, April p.103
Inlay process announced by Screenmakers,* July p.168
Inserts, poured-lead, in water meter, Sept. p.97
Inspection machine, fluorescent (Magnaflux), Aug. p.143
Inspection machine, X-ray (North American Philips), April p.166
Instruments, graph and circle (Charles W. Downs),* Nov. p.182
Instrument to measure contrast in drawings,* May p.76
Instrument tester, aircraft, (McCaskey Register), Nov. p.155
Insulation:
of thermocouple, provides additional service,* April p.171
plastic handle serves as,* Aug. p.156
plastic tape, Fibron (Irvington Varnish),* Oct. p.122
resins for (Dow Corning),* Dec. p.192
Interlocking machine control with shear pin,* Dec. p.106
Inventors, training of, discussed by Kettering, Jan. p.111
Iridite, coating for zinc and cadmium (Rheem Research),* Dec. p.184
Iron, cast, heat-treating for wear resistance, Jan. p.126
Iron cores, side-molded (Stackpole Carbon),* Nov. p.174
Iron, steel and nonferrous alloys:
indexed by principal constituents, Oct. p.200
listed by tradenames, Oct. p.174
producers of, Oct. p.204
Jet propulsion:
engine, analyzation of, July p.97
engine, comments on article on,* Sept. p.154
engine controls large power,* Aug. p.144
motor, high-temperature alloys in,* Feb. p.180
planes obtain full thrust from gas turbines,* Dec. p.164
Jewels, glass ring, for aircraft bearings (General Electric),* May p.138
Joints, designing of, for aircraft manifold, March p.127
Joints, universal, bevel gear (Condenser Service),* March p.168

L

Labels (Maymer) announced,* March p.166
Labels, peelable (Avery Adhesives),* Aug. p.168
Laboratory mill (Erie Engine and Mfg. Co.), Nov. p.152
Lacquer, brittle, use in strain analysis, Feb. p.147
Lathe, crankpin, redesigning for speed and accuracy, Aug. p.133
Lathe, semiautomatic hydraulic feeds and controls in, May p.91
Lead coatings offer protection,* June p.125
Lectrofilm, synthetic dielectric material (General Electric),* Jan. p.174
Level control, electronic (Trimount Instrument),* May p.144
Light assemblies, pilot (Dial Light),* June p.174
Lighting, by wireless transmission, experiments in,* Jan. p. 108
Lighting, designing for built-in, Dec. p.107
Lighting, fluorescent unit (F. W. Wakefield Brass),* Sept. p.168
Lights for drafting room (Curtis Lighting),* Sept. p.166
Linkage, novel eccentric, permits extended dwell, Nov. p.135
Linkage system in self-aligning bushings,* Aug. p.92
Loads and enclosures affect motor performance, June p.103
Lubrication:
centralized, (Alemite Division),* July p.166
centralized, differential pressures actuate metering valves,* July p.102
centralized, mechanical and restricted orifice lubricators, Oct. p.81
centralized, with piston valves, Sept. p.113
clarifiers, recirculating oil (Briggs Clarifier),* Oct. p.120
controlling engine oil flow in airplane dive,* April p.188
designing varies for fluid film, Jan. p.134
filters for coolants (Briggs Clarifier),* Dec. p.184
flow through bearing investigated,* Oct. p.79
for gears in 84-spindle drill head,* April p.178
lubricator constant level (Oil-Rite),* April p.192; and Dec. p.182
oil clarifiers for diesels (Briggs),* July p.170
seals, shaft, cork and copper bonded,* May p.136

M

Machinability of materials, May p.111
Machine, portable, for machining heavy parts,* May p.84
Machine tool, 20-station, for cylinder-head, Jan. p.116
Machine tool, portable, for line reaming,* April p.171
Machines, wear in, factors influencing, Sept. p.105
Machining, contour, controlled by tracer mechanism, June p.100
Machining of heavy parts, use of portable machines in,* May p.84
Magnesium alloys:
for postwar products,* June p.152
for high temperature service,* June p.125
materials work sheet on, Jan. p.153; Dec. p.169
Manganese, a promising alloy,* June p.126
Manifold, aircraft, design improved, March p.127
Masking devices of molded rubber or synthetic,* Aug. p.92
Materials:
ability to be processed, May p.111
choosing of steel and alloys, April p.172
choosing of, by tests, Jan. p.127; Feb. p.152
conservation, substitution, comments on,* May p.129
corrosion, wear and temperature, effects on, Feb. p.152
filtering, Multipore, from rubber latex,* April p.96
getting the most from them (Abstract),* Nov. p.190
isolation of vibration and noise, Oct. p.93
merits of,* June p.152
selection and specification of, June p.123
selection of, comments on,* March p.149
"standard" tests of, for ball bearings, March p.115
Materials Worksheet:
aluminum alloys, 2S, 3S and 52S, July p.149
beryllium copper, ASTM No. B120-41T, May p.125
brasses, properties, characteristics and applications, Aug. p.149
Inconel, wrought and cast, Oct. p.113
magnesium alloys and various grades, Jan. p.153
magnesium casting alloys, Dec. p.169
monel, wrought and cast, March p.145
phosphor bronzes, Feb. p.183
plastics, laminated phenolic, June p.157
stainless steels—AISI types 410 and 416, April p.179
zinc-base die casting alloys, Sept. p.149
Materiel, enemy war, not good enough,* Oct. p.108
Measuring of cloud ceilings with instruments,* Dec. p.96
Metallurgist and designer, teamwork between, Oct. p.75
Metals, effects of temperature and humidity on,* July p.144
Metals, strength of plastics compared with that of, Aug. p.119
Meter, miniature frequency (J-B-T Instruments),* Oct. p.126
Microfilming drawings, machine for (Microcopy),* Sept. p.168
Microfilm reader-projector (Federal Mfg. & Engrg.),* Nov. p.182
Microphone, midget, lip, eliminates noises,* Jan. p.108
Microscope, electron (RCA) illustrated, Nov. p.153
Miller, hydraulic, illustrated and described, Jan. p.145
Miller, vertical (Kent-Owens) illustrated, March p.138
Milling machine, hydraulic controls in, April p.135
Mill, laboratory (Erie Engine and Mfg.) illustrated, Nov. p.152
Mill, rotary disk, illustrated and described,* Jan. p.146
Moisture content of textiles measured by electronic unit,* May p.83
Molders of plastics, producers and their facilities, Oct. p.237
Molding:
phenolic compound (Monsanto Chemical),* Sept. p.160
plastics injection machine (Hydraulic Press), Dec. p.160
press, automatic, for plastics (F. J. Stokes), Oct. p.107
Monel metal floats (Chicago Float),* Feb. p.210
Monel metal, wrought and cast, work sheet on, March p.145
Motorcycle, lightweight crankcase, die-cast, for paratroopers,* Nov. p.161
Motor generator frame (Dresser) arc welded tubular ring,* Feb. p.188
Motor-generator, high-frequency (Kato Engineering),* June p.178
Motors:
aircraft, direct current (Alliance),* May p.140
air, self-contained (Bellows Co.),* Aug. p.164
auxiliary device for stopping spindle,* March p.153
control assemblies facilitate design of, Aug. p.123
control (Reynolds Electric),* June p.170
control, synchronous (Electrical Mfg. Co.),* Feb. p.179
control units, motion modification, protection and indication of, Sept. p.109
corrosion-resistant (Crocker-Wheeler),* March p.162
D-C, electronic drives (Weltronic), June p.176

*Denotes short articles of less than one page.

D-C series for blowers (Alliance),* June p.170
electronic controls for (Electron Equipment),* May p.146
enclosures and loads affect performance of, June p.103
fluid, synchronized movement of two (Patent),* Sept. p.156
induction, small (Eastern Air Devices),* May p.144
induction, obviates use of step-up devices,* March p.105
jet-propulsion, high temperature alloys in,* Feb. p.180
loads and enclosures affect performance of, June p.103
overrun prevented by gear unit (Electric Motor),* May p.140
reduction-gear, electric, with built-in slip clutch, April p.106
reversible, spindle, in grinder,* April p.178
reversing duty, selecting for, June p.103
shaded-pole, with pressure-locked mounting (Redmond),* July p.166
sixteen shafts on, in cleaning machine, April p.109
small, which to use, April p.125
spun acetate grommets for base of,* Oct. p.112
squirrel-cage, induction, polyphase (Century),* Feb. p.198
starter, reduced voltage (Allis-Chalmers),* Sept. p.162
stub-shaft in, simplifies design,* Jan. p.113
Mountings:
pressure-locked, on shaded-pole motor (Redmond),* July p.166
rubber, isolation of vibration and noise, Sept. p.99
rubber, use of, for noise elimination,* July p.144
shock, employs air (Patent),* Dec. p.178
Multipore filtering material from rubber latex,* April p.96

N

Nameplates:
decalcomanias solve problems in, Feb. p.163
injection-molded (Remler Co.),* Aug. p.168
(Maymer) announced,* March p.166
plastic, selection of, March p.112
Nickel alloy, monel, wrought and cast, work sheet on, March p.145
Nickel, Inconel, wrought and cast (work sheet), Oct. p.113
Noise and vibration:
causes and cures, measurement, Aug. p.85
elimination of, by correcting unbalance, Nov. p.139
elimination through use of rubber mountings,* July p.144
isolation materials in, Oct. p.93
isolation mounting for, Sept. p.99
torsional vibration, Dec. p.141
Noise suppression capacitor (General Electric),* Nov. p.172
Nomogram, single line, aids spring design, Jan. p.149
Nomogram, single line, construction of, Jan. p.151
Nonferrous metals and alloys:
indexed by principal constituents, Oct. p.200
listed by tradenames, Oct. p.174
producers of, Oct. p.204
Nuts:
floating cage type, blind (Tinnerman),* Aug. p.162
lightweight, high-stress (Tinnerman),* April p.198
self-locking (Stover Lock Nut),* Aug. p.168
stop and lock (Standard Pressed),* Dec. p.186
triple-grip, self-locking (Palnut Co.),* Oct. p.124
Nylon coating of electrical wire,* Dec. p.96

O, P

Operator convenience and ease of maintenance, designing for, Dec. p.147
Oscillograph, electronic (Westinghouse), Oct. p.105
Panel assemblies, connector (Plastic Manufacturers),* April p.198
Parts numbering system revamped (Viewpoint),* Feb. p.190
Patents:
courts should be synchronized, Aug. p.93
yardstick for patentability, Feb. p.171
Payroll machine (National Cash) illustrated,* Feb. p.178
Phenolic molding compound (Monsanto Chemical),* Sept. p.160
Phosphor bronzes, materials work sheet on, Feb. p.183
Photo copying machine (Photo Record),* June p.178
Photoelectric flame control for burners (Combustion Control),* Jan. p.170
Photographs aid presentation of design details, Aug. p.97
Photographs illustrate order of assembly parts,* Nov. p.110
Photometer, filter (Central Scientific) illustrated, Sept. p.140
Picker bars, cam-actuated, on cotton picker,* Sept. p.96
Pilot light assemblies (Dial Light),* June p.174
Pivoted action on dresser for forming straight faces or angles,* June p.102
Plastic Tooling Society formed,* March p.96
Plastic tooling speeds production, March p.99
Plastics:
adhesives, their place in design, May p.79
calculating stresses of, Dec. p.99
Cerex, high heat-resistant (Monsanto),* Aug. p.168
custom molders of, and their facilities, Oct. p.237
Duralon, new basic resin (U. S. Stoneware),* June p.172
electroplating of,* March p.144
fabric plasticized (Southern Friction Materials),* Nov. p.176
film, surface replicas made on, for inspection,* Oct. p.79
foam material, buoyant (U. S. Rubber),* Nov. p.174
Fosterite, moisture-proof (Westinghouse),* July p.94
glass fabric and resin, Corresite (Blickman),* March p.166
glass-reinforced, used in aircraft, June p.99
grommets, insulating (Creative Plastics),* Feb. p.212
handle of, serves as heat insulator,* Aug. p.156
housing for pneumatic drill,* March p.144
indexed by type, Oct. p.221
insulation tape, Fibron (Irvington Varnish),* Oct. p.122
insulating tubing and wire (Suprenant Electrical),* May p.144
laminated phenolic, materials work sheet on, June p.157
laminates pressed to shape,* Nov. p.161
listed by tradenames, Oct. p.208
molded panel assemblies (Plastic Manufacturers),* April p.198
nameplates of, selection, March p.112
new material in radar,* Aug. p.168
polyvinyl resin group, Geon (Goodrich),* March p.164
post-forming laminated (Panelyte),* June p.168
postwar outlook for (Abstract),* April p.184
producers of, Oct. p.222
strength of, compares with metal, Aug. p.119
Stripcoat coating for machine parts,* Feb. p.140; Nov. p.176
surface quality, selection by (Data Sheet), Dec. p.165
tooling of, speeds production, March p.99
tubing for electrical uses (Carter Products),* Feb. p.208
two-ply leather belting bonded with plastic foil,* July p.102
unorthodox designs save parts and assembly time, Oct. p.85
Plastics and nonmetallics:
indexed by type, Oct. p.221
listed by tradename, Oct. p.208
producers of, Oct. p.222
Plating, chrome, for wear resistance,* March p.144
Plating, tin, electric control of, April p.105
Pneumatics:
accumulator on riveter,* June p.102
combine with hydraulics provide sensitivity in lathes, April p.155
control criterion for, April p.134
cushion shock and vibrations,* Dec. p.178
rivet setter stresses compactness, light weight, July p.133
Polythene flame-sprayed on metal surfaces for protection,* Dec. p.164
Potentiometer, multiple, twisted-bar contactors in, June p.101
Potentiometer (Clarostat Mfg.),* Sept. p.160
Powder metallurgy:
application of,* May p.122; Aug. p.132
as friction material (Viewpoint),* Feb. p.190
economical in small quantities,* Jan. p.148
parts of, hardness of,* March p.150
Power package, hydroelectric (Pesco),* June p.168
Power supply system, AC-DC (Eclipse-Pioneer),* May p.138
Power supply system, AC (Eclipse-Pioneer),* Oct. p.120
Presses:
drill, gear transmission built into,* Jan. p.152
hydraulic, gaging and assembly (Logansport), May p.118
hydraulic, bench-type (Colonial Broach), Dec. p.163
hydraulic, drill, lubricant for gears in,* April p.178
hydraulic, mechanical, compound eccentric strap extends dwell in, Nov. p.135
hydraulic, straightening, illustrated,* Jan. p.145
notching, providing correct speeds for,* July p.160
plastics molding, automatic (F. J. Stokes), Oct. p.107
preheating molding and chilling (Stereotex), Sept. p.141
tests tubing hydrostatically (Denison), July p.142
Printers:
blue, black and white (Peck & Harvey),* Sept. p.166
continuous, table-top (Peck & Harvey),* Jan. p.176
continuous (Charles Bruning),* Nov. p.180
Processes, inlay, eliminates nameplate (Screenmakers),* July p.168
Producers of iron, steel and nonferrous metals, Oct. p.204
Producers of plastics and other nonmetallics, Oct. p.222
Production, mass, designing for,* Jan. p.148
Projection welding methods developed,* July p.144
Propellers, airplane, de-icing of (Abstract),* Sept. p.178
Propellers, airplane, utilizing sprayer,* Dec. p.152
Pumps:
centrifugal, close-connected engine drive in,* April p.178
centrifugal, low horsepower (Gray-Mills),* Oct. p.124
coolant, belt-driven (Ruthman),* March p.162
coolant, (Brady-Penrod),* Feb. p.200
engine-driven fuel, for aircraft (Romec Pump),* Sept. p.160
fluid metering (Adel Precision),* Feb. p.202
furnishes lubricant for gears in drill press,* April p.178
hydraulic, hand-operated (Pesco),* Aug. p.166
hydraulic, testing of,* Aug. p.91
injection, single-plunger, design of, Feb. p.174
rotary, for processing (Blackmer),* Jan. p.164
rotary, self-priming (John S. Barnes),* Nov. p.178
rubber-covered gears for, in cooling systems,* Dec. p.164
variable stroke, analyzing of (Viewpoint),* Feb. p.192
Purifier, compressed air (Bird-White),* June p.172

*Denotes short articles of less than one page.

Q, R

Quartz mechanism controls precision clock,* June p.101
Radar utilizes new plastic material,* Aug. p.138
Radiographs determine structural defects, Dec. p135
Railroad cars, reduction in, vibration,* Jan. p.148
Reader-projector, microfilm (Federal Mfg. & Engrg.),* Nov. p.182
Recorder, sound, uses wire for recording,* May p.76
Reducers (*See Speed Reducers*):
Refrigeration of resistance welding electrodes,* March p.140
Regulator, A-C voltage (American Transformer),* Nov. p.176
Regulator, electronic voltage, for resistance welding,* Aug. p.158
Relays:
  bimetallic overload (Industrial Controller),* June p.172
  dual coil, small (Allied Control),* April p.192
  electronic amplifies current (General Electric), June p.168
  electronic, time-delay, for grinding,* Aug. p.156
  for circuit-switching in radio, etc. (Potter & Brumfield),* Aug. p.162
  for varying current (Struthers-Dunn),* Feb. p.210
  multipole, for electronic circuits (G-M),* May p.140
  multipole, sensitive (G-M),* June p.168
  shockproof, for aircraft (Struthers-Dunn),* Feb. p.212
  snap-action (Struthers-Dunn),* May p.138
  telephone type (Allied Control),* March p.164
  telephone type (Allied Control),* June p.176
Remote control system (Adel Precision),* July p.168
Resins:
  Duralon (U. S. Stoneware),* June p.172
  Geon polyvinyl (Goodrich),* March p.164
  insulating (Dow Corning),* Dec. p.192
Resistor, radiant heater (Techtmann),* April p.200
Retainer for nuts and bolts (Kaynar Mfg.),* Feb. p.214
Rheostat steps selection, in machines, May p.115
Rheostat, twisted-bar contactors in,* June p.101
Ring, tubular, arc welded, for Dresser motor generator frame,* Feb. p.188
Rivets:
  blind, notched (Cherry Rivet),* April p.200
  high shear (Pheoll Mfg.),* Oct. p.122
  in aircraft, number of (Viewpoint),* July p.156
  threaded tubular (B. F. Goodrich),* Jan. p.168
Rivet setter, pneumatic, stresses compactness, light weight, July p.133
Rivet squeezer, pneumatic type (Thor) illustrated,* Feb. p.179
Riveter, pneumatic, air accumulator on,* June p.102
Rolls, hollow, deflection of, (Data Sheet), March p.141
Rotating disks, data sheet on, Sept. p.145
Rubber:
  elastic driving element in clutch disk,* March p.105
  gaskets, tolerance-limit for,* Dec. p.164
  gears covered by, for pumps in cooling systems,* Dec. p.164
  masking devices of, for parts,* Aug. p.92
  mixer, for working of (Banbury), lubrication of,* Feb. p.188
  mountings, use of, for noise elimination,* July p.144
  oil-resistant for seals (Los Angeles Standard Rubber),* April p.200
  synthetic, for conveyor belts and hose (Abstract),* June p.166
  synthetic, for insulation (U. S. Rubber Co.),* Sept. p.162
  synthetic, standard for, being developed,* Jan. p.108
Rules, slides (*See Engineering Department*):

S

Saw, cold, hydraulic, illustrated,* Jan. p.146
Scout car, armored,* July p.112
Screw machine, automatic, idler for high-speed chain, July p.101
Screws, miniature machine (Manufacturers Screw Products),* Dec. p.188
Seals:
  bellows type, shaft (Crane Packing),* Aug. p.160; Sept. p.164
  glass-to-metal (Sprague Electric),* Dec. p.194
  hydraulic, selecting of, Sept. p.119
  rubber (Los Angeles Standard Rubber),* April p.200
  shaft, cork and copper bonded,* May p.136
Searchlight, redesigned to utilize stamping, Feb. p.143
Sequence control in lathe facilitates production, May p.91
Serrations, shaft, standard dimensions for, Nov. p.157
Sextant, calibration of, facilitated by collimator,* Feb. p.141
Shaft flanges in portable machine tool for line reaming,* April p.171
Shaft horsepower, measuring (patent),* Nov. p.168
Shaft serrations, standard dimensions for, Nov. p.157
Shaft, stub, simplifies design of motor,* Jan. p.113
Shafting, flexible, solves remote control problem, April p.151
Shape-turning mechanism, cam-operated, June p.100
Sheave, self-centering (Allis-Chalmers),* March p.162
Sheet-metal parts, designing of, for production, May p.103
Shells, rotated through one revolution by clutch in machine,* May p.136
Shims for adjusting bearings (Industrial Products),* Oct. p.124
Shot peening, effect of, on fatigue strength, Nov. p.145
Shovel for excavating illustrated,* March p.138
Shutter actuated by Geneva mechanism,* Jan. p.186
Silver in electrical equipment (Gibson Electric),* Aug. p.164
Simplification and standardization in design (Abstract),* Dec. p.204
Sintering cemented carbide parts by "hot-press" method,* May p.76
Sleeves, ignition wire, plating eliminated,* Jan. p.108
Society, combined engineering, proposed,* Oct. p.108
Solder for aluminum, free-flowing (Eutectic Welding),* Oct. p.122
Solders may be tin-free,* Sept. p.144
Solenoids, for power, for control, April p.147
Solenoids, oil-immersed, for machine control,* Nov. p.107
Sorting device, electronic, for assemblies,* Aug. p.92
Sound-level meter for measuring noise, Aug. p.86
Sound recorder uses wire,* May p.76
Speed-change in motor of machines discussed, May p.115
Speed changers for production on Ceco automatic,* Feb. p.188
Speeds of multiple engines synchronized,* June p.164
Speed reducers:
  aircooled (Philadelphia Gear),* Aug. p.158
  electric, serves three functions,* Sept. p.95
  gear, fan-cooled (Cleveland Worm),* Aug. p.160
  units, turbine (Cone-Drive),* April p.190
Spindle, work, motor auxiliary for stopping of,* March p.153
Sprayer utilizes airplane propellers,* Dec. p.152
Springs:
  design of, more knowledge of, comments on,* May p.129
  helical compression, factors overlooked in design of, March p.107
  helical, design of (data sheet),* Aug. p.145
  tension, working stresses for, July p.107
Stabilizer, gun, caused more bull's-eyes, Oct. p.91
Stainless steels:
  air cargo plane of, Conestoga, July p.113
  and its fatigue properties,* June p.126
  materials work sheet on, April p.179
Stampings:
  deep drawing of aircraft propellers,* May p.122
  effected wartime manufacturing on,* June p.152
  plastic lamination stamp for aircraft,* Nov. p.161
  redesign to utilize, March p.120
  searchlight redesigned to utilize, Feb. p.143
  types, producers of, Oct. p.225
Standard component parts utilized in tailor-made controls, July p.103
Standardization and simplification in design (abstract),* Dec. p.204
Standards for synthetic rubber being developed,* Jan. p.108
Starter for mine equipment (General Electric),* Dec. p.190
Starter, motor, reduced voltage (Allis-Chalmers),* Sept. p.162
Starter test stand (Airplane Mfg.) illustrated,* Feb. p.178
Steels:
  alloy, NE lean, used after the war,* March p.140
  and steel alloys, reliability and probability of, April p.172
  carbon, wider use of,* Dec. p.164
  classification of new standard, Oct. p.202
  effects of wartime developments on future, July p.127
  hardenability of, discussion of,* Aug. p.144
  heat treatment of, influence on design, Aug. p.107
  iron, nonferrous metals and steel, listed by tradenames, Oct. p.174
  iron and nonferrous alloys, indexed by principal constituents, Oct. p.200
  iron and nonferrous metals, producers of, Oct. p.204
  selection of, based on hardenability, Dec. p.125
  specifying of, by hardenability, Nov. p.129
  stainless clad, light gage (Jessop Steel),* Dec. p.184
  subzero treatment of, for precision,* Feb. p.180
Stickers, peelable (Avery Adhesives),* Aug. p.168
Storage battery for resistance welding of aluminum,* Feb. p.180
Strain analysis, brittle lacquer, aids design, Feb. p.147
Strain-rosette analysis, graphical method simplifies, May p.95
Strain-rosette conversion factors, comments on,* July p.156
Strander, wire, quick-acting brake in, April p.108
Strap, compound eccentric, extends dwell in high pressure machine, Nov. p.135
Strap, wire harness support (Adel Precision),* Dec. p.192
Stresses:
  in plastics, calculating of, Dec. p.99
  predicting failure loads by analysis, Dec. p.117
  vacuum pit used in study of,* Oct. p.80
Stress-warning device for aircraft pilots,* Sept. p.98
Strip, barrier type, terminal (Howard B. Jones),* Aug. p.162
Stripcoat protective coating (Dow Chemical),* Feb. p.140; Nov. p.176
Structural defects, determined by X-ray, Dec. p.135
Studs, collar, cold heading of, saves time,* July p.160
Subpanels, terminal block for (Curtis Development),* Sept. p.160
Subzero treatment of steel for precision,* Feb. p.180
Surface fatigue, abstract of findings on, Feb. p.166
Surface finish, high precision (Engis Equipment),* Feb. p.218
Surface finish in bearings, effect on performance, Nov. p.123
Surface quality, selection of (Data Sheet), Dec. p.165
Switch breaker, temperature-resistant (Littelfuse),* Nov. p.174
Switches:
  air speed, metallic bellows in,* Jan. p.113
  dial time, 7-day,* Nov. p.180
  electronic, time-delay (Richardson-Allen),* May p.142
  float, single switch, (Automatic Control),* Sept. p.162
  limit, control bakery machine,* July p.160
  limit, geared (Philadelphia),* April p.190

*Denotes short articles of less than one page.

limit, safety, utilizes cutting tools to absorb energy,* Feb. p.140
limit, temperature (Burling),* March p.170
micro, control transfer machine, Oct. p.112
midget (Acro Electric),* Feb. p.198
miniature, snap-action (Acro Electric),* July p.166
pressure and temperature (Manning, Maxwell & Moore),* July p. 172
pressure, bellows-operated (Square D),* July p.170
rotary type, limit (Philadelphia Gear),* April p.192
single-pole, pressure control (Hercules Electric),* May p.144
small, thin toggle (McGill Mfg.),* Aug. p.166
split-contact (Micro Switch Div.),* Oct. p.120
time-delay, compensated (George Ulanet),* June p.178
vacuum, for radio (General Electric),* Jan. p.166
Symbols of hydraulic circuit diagrams, May p.97
Synthetics, controlling quality of (Abstract),* Feb. p.266
Synchronizing speeds of multiple engines,* June p.164

T

Tachometer, small (Standard Machinery),* Nov. p.180
Tanks, aircraft engines in,* May p.82
Tank buster, Hellcat, illustrated and described, Nov. p.116
Tank retriever illustrated and described,* Feb. p.234
Tape, plastic insulation, Fibron (Irvington Varnish),* Oct. p.122
Tapes for identifying (International Plastic),* Aug. p.164
Tapes, sealing, aviation (Pittsburgh Plate),* Jan. p.168
Temperature controls, automatic, built-in, April p.129
Temperature control system (Leeds & Northrup),* Dec. p.186
Temperature variations in machines, discussion of, May p.109
Terminals:
blocks for subpanels (Curtis Development),* Sept. p.160
pre-insulated (Aircraft-Marine),* March p.164
splicing, solderless (Aircraft-Marine),* Jan. p.166
solderless tube-cap (Aircraft-Marine),* June p.174
strip, barrier type (Howard B. Jones),* Aug. p.162
Test chamber (Amcoil) high-altitude, described, April p.164
Test pit, vacuum, to study stresses,* Oct. p.80
Test stand, starter (Airplane Mfg.) illustrated,* Feb. p.178
Tester, aircraft instrument (McCaskey Register), Nov. p.155
Testing:
and exercising machine for gun recoil mechanisms,* Dec. p.105
machine, electronic (Du Mont) illustrated, July p.143
supersonic waves test rubber tires,* Feb. p.132
units for hardness,* Sept. p.97
vacuum, to detect leaks in cartridge container,* Dec. p.105
Tests, interpreting of, in choosing right material, Jan. p.127
Thermal control for cooling fan,* Feb. p.142
Thermal expansion in design, curtailing, May p.109
Thermocouple, insulation of, provides additional service,* April p.171
Thermostat (United Electric) has wide range,* April p.198
Three-dimensional drawing guides (A. Lietz),* Sept. p.168
Timers:
electronic capacitor (Electronic Products),* Dec. p.192
fixed and repeat cycle (Haydon),* March p.168
impulse-initiated (Struthers-Dunn),* Dec. p.188
synchronous, assures uniform cycles, April p.103
for domestic washer (Patent),* Dec. p.180
Tin-plating process has electric control, April p.105
Tooling, plastic, speeds production, March p.99
Torque control in impact wrench,* Nov. p.107
Torque converter, hydraulic, development of, July p.117
Torque pulsations simulated for testing hydraulic pumps, Aug. p.91
Torquemeters furnish check on machine performance, Sept. p.135
Torsional vibration in machines, Dec. p.141
Tracer mechanism controls contour machining,* June p.100
Tractors:
farm, streamlining of, for postwar,* Aug. p.144
hydraulic steering system in (Patent),* March p.152
industrial, illustrated and described,* Jan. p.146
Training of inventors, discussed by Kettering, Jan. p.111
Transfer machine, micro switches control of,* Oct. p.112
Transformer, constant voltage (Sola Electric),* Dec. p.188
Transformer (General Electric), dry-type, illustrated,* Feb. p.178
Transmissions:
and automotive engines, future of, April p.99
control provided by oil circuit (Patent),* May p.132
gear, built into press,* Jan. p.152
lightweight (Vard),* Jan. p.172
Transmission, variable-speed (*See Variable Speed Transmission*):
Trimetric drawing technique, Aug. p.139
Trucks, amphibian, two and one half-ton, July p.127
Tubing:
coupling, self-flaring (Packless Metal),* Dec. p.190
galvanized interlocked hose (Pennsylvania Flexible),* Dec. p.186
plastic, for electrical uses (Carter Products),* Feb. p.208
plastic insulating (Suprenant Electrical),* May p.144
retractable (Wiremold),* Sept. p.166
Turbine nozzles tested by calculating machine,* March p.104
Turbine reduction units (Cone-Drive),* April p.190
Turbines, gas, for automobiles,* Nov. p.156
Turbines, gas, future of, May p.99
Turrets, glass-forming machine, intermittent rotation in,* Feb. p.232

U, V

Universal joints, bevel gear, Condenser Service,* March p.168
V-belt drives for maximum economy, selecting of, April p.175
V-jewels, glass, ready to set (General Electric),* Feb. p.218
Vacuum test pit used to study stresses,* Oct. p.80
Vacuum-testing to detect leaks in cartridge containers,* Dec. p.105
Valves:
aircraft fuel line (Davidson Mfg. Co.),* Nov. p.178
application of, in machines, June p.117
four-way control (Adel Precision),* Dec. p.190
hydraulics, application of, in machine, June p.117
hydraulic, fundamentals in selection of, April p.115
hydraulic, lock (Adel Precision),* Aug. p.166
hydraulic, low-pressure (Galland-Henning),* Dec. p.184
hydraulic relief, for aircraft (Pesco),* July p.170
lowering control, for hydraulic elevators, April p.107
midget, air controlled (Ross Operating),* Feb. p.214
piston, lubrication insures bearing life, Sept. p.113
pneumatic, foot operating (Anker-Holth),* Jan. p.164
relief, adjustable pressure (American Screw),* May p.144
selector, four-way hydraulic (Adel),* May p.142
self-energizing, employs elastic sleeve, April p.170
Variable speed transmission:
announced (American Pulley),* Sept. p.164
differential (Patent),* Nov. p.168
directs antiaircraft gun fire,* Feb. p.141
electrically controlled (Patent),* Sept. p.156
for medium and higher horsepowers (Lombard Governor),* Dec. p.181
method of changing speed, (Viewpoint),* July p.155
press, notching, providing correct speeds for,* July p.160
specifying electrical, May p.85; hydraulic, June p.107; mechanical, April p.119
two-speed, has no neutral (Patent),* Dec. p.178
wide speed range at low speeds,* Nov. p.161
Varnish, clear insulating (John C. Dolph),* May p.140
Varnish, insulating, air-drying (Sterling Varnish),* May p.146
Vibration:
isolation by use of coupling (Patent),* June p.164
reduction in railroad cars,* Jan. p.148
shock mounting employs air (Patent),* Dec. p.178
Vibration and noise:
causes and cures, measurement, Aug. p.85
elimination of, by correcting unbalance, Nov. p.139
isolation materials in, Oct. p.93
isolation mounting for, Sept. p.99
torsional vibration, Dec. p.141
Vibrograph for measuring vibration, Aug. p.85
Voltage regulator, A-C (American Transformer),* Nov. p.176
Voltage transformer, constant (Sola Electric),* Dec. p.188

W, X, Z

WPB, availability of metals and plastics,* March p.126
Washer, domestic, timing mechanism for (Patent),* Dec. p.180
Water meter, poured-lead inserts in, Sept. p.97
Weapons, captured enemy, studied (Abstract),* Feb. p.264
Wear in machines, factors influencing, Sept. p.105
Welding:
all welded construction in roller,* June p.155
arc, electrodes for (Allis-Chalmers),* Sept. p.166
electrode, coated aluminum-bronze (Air Reduction),* May p.142
electrode, coated aluminum-bronze (Wilson Welder),* June p.170
electrode for A-C operation (Lincoln),* Sept. p.162
electrode for aircraft (Air Reduction),* Nov. p.176
electrode for aluminum (Eutectic Welding),* June p. 174
electrodes for, refrigeration of,* March p.140
machine, for arc-welding (Wilson Welder), illustrated, Sept. p.
projection methods being developed,* July p.144
resistance, electronic regulator (General Electric),* Aug. p.
resistance welding of aluminum, development in,* Feb. p.180
solder, free-flowing, for aluminum (Eutectic Welding),* Oct. p.122
Wheel, caster tail, steerable, patent on,* Jan. p.184
Wheels, steel aircraft (Kelsey-Hayes),* Sept. p.166
Wire harness support strap (Adel Precision),* Dec. p.192
Wire:
plastic insulating (Suprenant Electrical),* May p.144
ribbon-rectangular magnet (General Electric),* Aug. p.164
Wire strander, quick-acting brake in, April p.108
Women trained for emergency drafting work, June p.95
Wrench, impact, torque control in,* Nov. p.107
X-ray determines structural defects, Dec. p.135
X-ray inspection machine (North American Philips), describes, April p.
Zinc anodizing for metal (United Chromium),* Jan. p.170
Zinc-base die casting alloys, work sheet on, Sept. p.149

*Denotes short articles of less than one page.